G. R. S. 58]

Previous references
Mem 362-22-3-7
" 431 15-1-6
" 509 10 1 3
" 607-18-1-2
Later references

(4 Inwards)

File No. 112 24
Serial Nos. 1 - 4

GENERAL DEPARTMENT.

Serial Nos. 4

Part B Fs 9 January 1925

SUBJECT

Submits for sanction an estimate for Rs. 2920/- for the reconstruction of the Laterite compound wall of Sri Ranganatha Swami Temple at Konanahalli, Hassihar Sub-Taluq.

G.O. dd 10 1 25
Dated 12.1.25

To the Ch Engr.
" Insp. Comr
" Comptr

Sanctioned

Muz 1] 1924

MUZRAI SECRETARIAT.

(Muz.)

NOTES.

File No.

FILE HEADING.

Reconstruction of the damaged compound wall of the Sri Rangavalli Vinayagar temple at Ramanathapuram, Ramnad taluk

From The Chief Engineer & Secy

No 1235 Dated Received

Diary No.	Enclos.	Spare Copies.	Serial No

BRIEF ABSTRACT OF LETTER.

Submits for sanction an estimate amounting to Rs 2920 for the work (E) noted in the margin. Comr. and states that the estimate is in order and states that as recommended by the Dist. Collr. The cost may be debited to the

NOTES AND ORDERS

Contribution of Rs 1000 from the current year this grant will also form the further charge of the

The Muzrai Comr chief Engineer's letter explains the lack of the cost

NOTES--First Sheet

WD 0560—GPB—500—9 8 22

Serial No.

2) In 1919, The Dy. Comr. Sent up an estimate for Rs 1171 for re constructing the fallen and damaged portion of the compound wall, but it was pointed out to him that it was desirable to have the work substantially done under D.P.W. Agency (vide letter no 2133 dt 31/1/1919.

3) Again in April 1919, the Dy. Comr. sent up another estimate for Rs 2337 prepared by the Dist. Nawabat Engineer, but was asked to renew his proposal after 1st Oct next (vide letter no. 3985 dt 4.5.21)

4) An estimate for Rs 2920 has now been received thro. the chief Engineer for the said work. As the inst. has not sufficient funds, a recommendation is made for the payment of Rs 1000/ from the State Stgen. from Rev. F. no. 362-22 relating to the renovation of the Juma Masjid at Mysore (file now before the Dewan. it will be &c

NOTE-Contn

G.R.S III 2]

File No. 2 of 19 Vn

Serial No.

a State Grant of Rs 4267 and add to available for distribution Statement for under 88.

AV The matter has been pending for a long time, and the Min Com^r and the Chairman's request that the Estimate of Rs 2920 may be reduced from the funds of the temple which owes a State amount of Rs 1944-14-2 and from the Current year's State grant to be expected Rs 2000/

b) May this be sanctioned?

6.11.45

6.11.45

7.11.45.

24/8/11 2nd reminder

7) Is the application of [illegible] in order to grant the [illegible] from the State funds for the repairs.

What is the total value of the temple? Is there a sanctioned scale of receipts Expenditure for the last two balance sheets of the temple have been received with regard to the latter figures prepared by the Asst Comm (in Tel)

NOTE—Contn. Sheet

11.11.45

11.11.45

11/1

General and Revenue Secretariat.

File No. 112 of 19 24

Serial No.

1) D/R. Submitted
AG 11.11.24 RG 11.11.24

9) Issue D 18.11.24.

2 To the Muzrai Commr. M. No. 727 d. 20.11.24. & Ltr for further info on certain points.

3. From, The Muzrai Commissioner, Letter no. C. 181 dt 9.12.24. Submits further report called for in Sl. 2.

10) The Muz Comr reports that this is an important institution in the Dist, one of the few major insts therein, deserving a grant of Rs 1000/ from the State Grant.

11) The temple has no cash Fasdik and the land inam brings in an annual income of Rs 1051-13-5.

12) A scale of income and expe providing for a reserve of Rs 167-5-7 per annum for repairs has been fixed in G.O. no. 2211-3 Muz. 931-15 dt 6.3.1917.

13) With regard to the query whether the balance at the credit of the temple has been kept with ref. to the Calcutta [illegible]

Fy. m

NOTE.—Contd. Sheet [illegible]

Serial No.

by the Spl. Duty officers, the Insp.-Genl. gives full information in para 3 of the above Circular. It is reported that the exact amount at the credit of the institutions at the end of July 1924 was Rs 1944-14-2, the Comptr's. figure of Rs 1892-2-11 at the end of July 1922 having been adopted. The Insp.-Genl. states that the balances was not verified with the Spl Duty officers' figures as they were only up to the end of June 1920, and have not yet been finally verified by the Comptr.

Submitted. See notes.

14) The Insp.-Genl says, 12.12.24

"I have seen the fallen walls and think that the repair is urgently "required". The institution is said to have contributed 1500 Rs for the [illegible] and being one of the few major institutions in the district, to be deserving of a grant from State funds.

15) May the estimate for Rs 2420 now received be sanctioned

NOTE—Contn. Sheet

the

General and Revenue Secretariat.

872

Mrs File No. 112 of 1924

Serial No.

(A) The Charge being met from the State grant & the extent of 10000 Rs, should the remt. amt. being met from the funds the Temple?

Rly 12/12/24

13 12 24

372 2nd Member
19 12

(A) Yes
Drop order may be passed accordingly. Myli Venkoba Iyer a Trust. Estate of the State grant for current year & must have [redacted] for further Estimate

Jy 20/12

Re 20/12

20.12.24

17) Dft. G.O. submitted. As the State grant of a sum of Rs 10,000/- provided for the current year, a sum of Rs 1000/- is set apart for Mission by the Mrs. Court.

Jy. B
(in mrs. 7. no. 362-22) put up.

Rly 24.12.24

18) Dr. A.M.
SMR 24/12

646/24.12 2nd Member

NOTE—Continued on the other side

(A) I do not agree with Mr. Bowring for the reasons mentioned by Secretary to Govt.

General and Revenue Secretariat.

Mwz File No. 112 of 1924

Subd

The allotment of Rs 3000 for the repairs of the Jumma Masjid at Mysore was subsequent to the allotment of Rs 1000 out of the same source for the repairs of the Sri Ranganathaswami temple in question

Serial No

Sd 2/1/25 7.1.25

2nd member

3/1/25

Sd 3.1

Draft approved

7-1

To the Chief Engineer, Mewz. Comm'r Comptn No. 1019-b dt. 12-1-25. Sanctions the estimate for Rs. 2920, the cost being met as proposed by the Chief Engr.

125

NOTE—Contn. Sheet

No.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE

Dated Bangalore 24 October 1924.

Muz

FROM J. Phore, Esq., A.M.I.C.E.,
~~EXCADAMBI, ESQ.,~~
Chief Engineer of Mysore, Bangalore.

REVENUE SECRETARIAT
29 OCT 1924
MUZRAI

No 493

To

K.V. Narentaraman, Esq., B.A., Muz: 193-24-1.
Secretary to Government,
Revenue Department,
Bangalore

Recd 29/10/24

SIR,

h. μ2 B.

With reference to your letter No.2133/Muz.400-18 dated (CC) the 31st January 1919 to the address of the Deputy Commissioner, Chitaldrug District, in the matter of reconstructing the damaged compound wall of the Sri Ranganathaswami Temple at Komaranhalli in the Harihar Sub Taluk, I have the honour to forward herewith for favour of very early sanction, an estimate and plan, the former amounting to Rs 2,920 for the work, (d) received through the Muzrai Commissioner in Mysore. The estimate as checked in this office is in order.

2. When an estimate for the above work for Rs 2,337 was submitted to you for sanction, it was ordered in your letter No.3989/Muz 509-20-2 dated the 7th May 1921 that the work be kept by until the amount to be contributed by Muzrai Institutions to the 6¼ per cent State Loan was finally settled. In view of the fact that the allotments have been fixed and that the reconstruction of the compound wall has been pending for a very long time while the Dharmadharsis are pressing for early execution, the Muzrai Commissioner while transmitting the estimate desires, that early sanction to the estimate be obtained.

3. As regards funds required to cover the cost of the estimate, it is reported that the institution had only a sum of Rs 1,944-14-2 at its credit on February 1924. It is therefore recommended both by the Huzrai Commissioner and the Deputy Commissioner that the cost of the estimate be met by a contribution of Rs 1,000 from the current year's State Grant, the balance being made available from the funds of the institution.

4. The file of correspondence on the subject received from the Deputy Commissioner is also herewith forwarded for reference and return.

I have the honour to be,

Sir,

Your most obedient servant,

S. Srinivasa Aiyar

For Chief Engineer of Mysore.

Letter No.S.C.23/21-22 dated 21st March 1924 from the Deputy Commissioner, Chitaldrug District to the Muzrai Commissioner in Bangalore.

"In reply to your letter No.C.181/22-23 dated the 22nd November 1922 returning the estimates for the reconstruction of the compound wall of Sri Ranganathaswami temple at Honnavanahalli, with certain observations, I have the honor to state that the exact amount at the credit of the said institution at the end of February 1924 was Rs.1944-14-2 the Comptroller's figure of Rs.1892-2-11 at end of July 1922 having been adopted.

As the amount of estimate exceeds the actual balance at the credit of the temple, I request that recommendation may be made to Government to allow the excess to be met out of the State grant and the estimate returned with the sanction of Government. The entire correspondence ending with Davangere Assistant Commissioner's No.S.C.426-19-23 dated 11-3-1924 is herewith forwarded."

"Copy"

26/9/24

for Muzrai Commissioner.

Muz 4]

SUBJECT.....

Diary No. of letter replied to _____

Section Mug.

File No. 112-2-4

Serial No. 2

Muzrai Secretariat

( )

, *the* 192 .

No. 727

Executive Engineer Highways

To The Muz. Comsr

Date of issue 20.11.24

Signed by _____

Sir,

Adverting to ch. Engrs. Memo letter no. 6235 dt 25th October 1924, submitting an estimate for Rs 2920 for the reconstruction of the damaged compound wall of Sri Ranganatha Swami temple at Kumaradalli, Harihar Sub-Taluq, I am directed to enquire regarding the ~~request to be granted~~

over.

information on the following points noted below.

(1) Whether this matter is of sufficient importance to justify the grant of Rs 1000/ from State funds for its repair. I am also to request for information on following points.

(2) What is the basis of this limit? Is there a sanctioned scale of receipts and expr for it? If so, a copy of the scale may be furnished for official use.

(3) Has the balance at the credit of the Limited been verified with ref to the latest figures prepared by the Spl. Officer (Mr. M. Ayer). List of enclosures.

(4) The item recommended for ref. are below I have etc.

(P. N.)

Copied by

Examined by

WD 556=GPB—2,500—27 7 22

Muzrai

OFFICE OF THE ~~REVENUE~~ COMMISSIONER,
IN MYSORE.

No. C151/22-23 one with our file

Bangalore, 6th December 1924
9th

FROM

K. CHANDY ESQ., B.A.,

Muzrai
-Revenue Commissioner in Mysore.



L.V

To

Muz. 112-24

The Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue *Department.*

SIR,

With reference to your letter No.727/Muz.112-24 dated 22nd November 1924 calling for certain information in the matter of sanctioning an estimate for repairing the damaged compound wall of the Sri Ranganathaswami temple at Komaranahalli in Harihar Sub Taluk, I have the honour to state as follows:--

The temple is a major institution in the District having no cash grant but endowed with land inam bringing an annual income of Rs.1051-13-5. A scale of income and expenditure has been fixed in Government Order No.2211-13/M.F.431-15-6 dated 6th March 1917 and provides for a reserve of Rs. 167-5-7 per annum for repairs.

When the Deputy Commissioner submitted the estimate for sanction in November 1922, it was observed by this office that there was a great - - difference between the Taluk figures and those of the Comptroller in respect of the amount at the credit of the institution. There upon the Deputy

Commissioner was asked to verify his figures with those of the Comptroller and send up the up-to-date balance. The balance was not verified with the special duty Officer's figures as they were only up to the end of June 1920 and have not yet been finally verified by the Comptroller. The amount now reported to be at the credit of the temple viz. 1944-14-2 as it stood at the end of February 1924, is the figure arrived at by the Taluk Office after adopting the Comptroller's balance of Rs.1892-2-11 at the end of July 1922(vide Deputy Commissioner's letter No.SC.23/21-22 dated 21st March 1924 copy enclosed)

This temple has contributed to the General Muzrai Fund a sum of Rs.1500/- out of its savings and it also bears two thirds of the cost of the present estimate from the amount now available at its credit. As the damage to the compound wall is due to the corrosion of the tank situated to the South of the temple(vide Deputy Commissioner's letter No.C.2566 dated 2nd December 1919 to the Joint Secretary to Government Muzrai Department) and as this is an important institution in the District one of the few major institutions therein and the Dharmadarsis are pressing for the work, the institution deserves a grant of Rs.1000/- from the State Grant. I have seen the fallen walls and think that the repair is urgently required. The connected records are enclosed for reference and kind return with the orders of Government.

I have the honour to be
Sir,
Your most obedient servant

K.Chandy

M.A.N.

MUZRAI COMMISSIONER.

Copy of letter No.S.C.23/21-22Dated 21st March 1924, from the Deputy Commissioner, Chitaldurg District, to the Muzrai Commissioner In Mysore, Bangalore.

In reply to your letter No.C.181/22-23 dated the 22nd November 1922 returning the estimates for the reconstruction of the compound wall of Sri Ranganathaswami Temple at Komarahalli, with certain observations, I have the honour to state that the exact amount at the credit of the said institution at the end of February 1924 was Rs1944-14-2, the Comptroller's figure of Rs1892-2-11 at the end of July 1922 having been adopted.

As the amount of estimate exceeds the actual balance at the credit of the temple, I request that the recommendation may be made to Government to allow the excess to be met out of the state grant and the estimate returned with the sanction of Government. The entire correspondence ending with Davangere Assistatnt Commissioner's No.S.C.426/19-20 dated 11-3-1924 is herewith forwarded.

"Copy"

Muzrai Commissioner. 8/4/24

R.S. VI G 34]

SUBJECT..... .....

....

... .

Diary No. of letter replied to..... .....

General and Revenue Secretariat

( )

, *the* 192 .

Date of issue.... 10 1 25

Signed by... Jm T. F

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

Section

File No.

Serial No. 4.

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Letter no. 6235 dy 25th octr. 1924 from the chief Engr of Mysr Submitting ~~a revised~~ the estimate amounting to Rs 2920 for the reconstruction of the dama compound wall of sri Ranganatha Swamy temple at Konanakalli Harihar Sub. Dalu Recd. thro the Mng Committee of the

Order Thereon No.

Noting
and ~~adding~~ that ~~as recommended~~
recommends that
by the Mus. Comr, the cost
may be met ~~both~~ by a contribution
of Rs 1000 from the current
year's State Grant, and ~~also~~ the rest
from the balance at the
credit of the work.

Correspondence ending with
letter no. C-187 dy 9.12.24
from the Mus Comr on
the subject Noting that the administration is an important ma
institution in the district and the Rajas pa
funds therefor is quite
just and may be sanct

Order thereon dy 1014-6/Mus 112-24
Secretariat
dy 12.1.25
List of enclosures.

Under the circumstances
reported, Govt are pleased
to sanction the estimate
for Rs 2920 for the work
in question, the cost being
met as follows:

Rs 1000/ from the State
Grant of the current year
Rs 1920/ — from the balance
at the credit of the work.

The work should be done by departmental

By order,
dy
Secretary
Rev. Dept.

Copied by
Examined by

FD-1886—GPB—1,000,00—21-12-21

ABSTRACT OF ESTIMATE FOR
reconstruction of the damaged compound wall of Sri Ranganatha Swami temple at Komarnahally, Harihar Sub-Taluk.

Particulars	Per	Rate	Quantity	Cost
1. Removing debris and stacking at site.	cft	2	2430	25 0 0
2. Excavating foundation in soft rock	cyd	8 0	67	34 0 0
3. Sized burnt stone or trap stone revetment.	"	5 0 0	400	2000 0 0
4. Burnt stone slabs 6" thick	sft	8 0	707	353 0 0
5. Burnt brick in mortar	cft	5 0	604¾	189 0 0
6. Coping over parapet including plastering with mortar &c.	rft	12 0	170	127 0 0
7. Plastering with mortar	sqr	4 0 0	13.14	52 0 0
Total				2780 0 0
Contingencies at 5%				140 0 0
Grand total				2920 0 0

Rupees two thousand nine hundred and twenty only.

C O P Y *

Superintendent, Muzrai Branch.

Sanctioned for Rs.

No, dated in Govt. Progs.